


Burettes

Class AS - straight stopcocks

- main point ring graduation
- DIN EN ISO 385
- DE-M marked according to the German calibration law
- made of borosilicate glass 3.3
- inclusive batch certificate




Capacity ml	Division ml	Tolerance ml	Plug	Order number		
				blue graduation	blue graduation Schellbach blue line	amber glass white graduation
5	0.02	±0.01	solid ST-glass	3 010 052	3 012 052	3 014 052
10	0.02	±0.02		3 010 102	3 012 102	3 014 102
25	0.05	±0.03		3 010 252	3 012 252	3 014 252
50	0.1	±0.05		3 010 502	3 012 502	3 014 502
100	0.2	±0.1		3 010 902	3 012 902	3 014 902
5	0.02	±0.01	ST-PTFE	3 010 053	3 012 053	3 014 053
10	0.02	±0.02		3 010 103	3 012 103	3 014 103
25	0.05	±0.03		3 010 253	3 012 253	3 014 253
50	0.1	±0.05		3 010 503	3 012 503	3 014 503
100	0.2	±0.1		3 010 903	3 012 903	3 014 903
5	0.02	±0.01	PTFE needle valve	3 020 057	3 022 057	3 024 057
10	0.02	±0.02		3 020 107	3 022 107	3 024 107
25	0.05	±0.03		3 020 257	3 022 257	3 024 257
50	0.1	±0.05		3 020 507	3 022 507	3 024 507
100	0.2	±0.1		3 020 907	3 022 907	3 024 907

for brown graduation add „B“ behind the order number (not available for amber glass)

Class AS - lateral stopcocks

- main point ring graduation
- DIN EN ISO 385
- DE-M marked according to the German calibration law
- made of borosilicate glass 3.3
- inclusive batch certificate



Capacity ml	Division ml	Tolerance ml	Plug	Order number		
				blue graduation	blue graduation Schellbach blue line	amber glass white graduation
5	0.02	±0.01	solid ST-glass	3 010 054	3 012 054	3 014 054
10	0.02	±0.02		3 010 104	3 012 104	3 014 104
25	0.05	±0.03		3 010 254	3 012 254	3 014 254
50	0.1	±0.05		3 010 504	3 012 504	3 014 504
100	0.2	±0.1		3 010 904	3 012 904	3 014 904
5	0.02	±0.01	PTFE needle valve	3 010 055	3 012 055	3 014 055
10	0.02	±0.02		3 010 105	3 012 105	3 014 105
25	0.05	±0.03		3 010 255	3 012 255	3 014 255
50	0.1	±0.05		3 010 505	3 012 505	3 014 505
100	0.2	±0.1		3 010 905	3 012 905	3 014 905

for brown graduation add „B“ behind the order number (not available for amber glass)