

Volumetric pipettes

Class AS

- color-code to avoid confusion
- made of soda-lime glass
- tolerance according to DIN EN ISO 648
- DE-M marked according to the German calibration law
- calibrated to deliver (EX), 5 sec waiting time
- inclusive batch certificate



| Capacity ml | Tolerance ml | Color-Code | Order number | |
|----------------|-----------------|------------|-----------------|----------------|
| | | | brown graduated | blue graduated |
| 0.5 | ±0.005 | black x2 | 3 535 005 | 3 535 005 BL |
| 1 | ±0.008 | blue | 3 535 010 | 3 535 010 BL |
| 2 | ±0.010 | orange | 3 535 020 | 3 535 020 BL |
| 5 | ±0.015 | white | 3 535 050 | 3 535 050 BL |
| 10 | ±0.020 | red | 3 535 100 | 3 535 100 BL |
| 20 | ±0.030 | yellow | 3 535 200 | 3 535 200 BL |
| 25 | ±0.030 | blue | 3 535 250 | 3 535 250 BL |
| 50 | ±0.050 | red | 3 535 500 | 3 535 500 BL |
| 100 | ±0.080 | yellow | 3 535 900 | 3 535 900 BL |

Class AS - special sizes

- color-code to avoid confusion
- made of soda-lime glass
- tolerance on basis of DIN EN ISO 648
- DE-M marked according to the German calibration law
- calibrated to deliver (EX), 5 sec waiting time
- inclusive batch certificate



| Capacity ml | Tolerance ml | Color-Code | Order number | |
|----------------|-----------------|------------|-----------------|----------------|
| | | | brown graduated | blue graduated |
| 3 | ±0.010 | black | 3 535 030 | 3 535 030 BL |
| 3.5 | ±0.010 | - | 3 535 035 | 3 535 035 BL |
| 4 | ±0.015 | red x2 | 3 535 040 | 3 535 040 BL |
| 4.5 | ±0.015 | - | 3 535 045 | 3 535 045 BL |
| 5.5 | ±0.015 | - | 3 535 055 | 3 535 055 BL |
| 5.85 | ±0.015 | - | 3 535 0585 | 3 535 0585 BL |
| 6 | ±0.015 | orange x2 | 3 535 060 | 3 535 060 BL |
| 7 | ±0.015 | green x2 | 3 535 070 | 3 535 070 BL |
| 7.5 | ±0.015 | - | 3 535 075 | 3 535 075 BL |
| 8 | ±0.020 | blue | 3 535 080 | 3 535 080 BL |
| 9 | ±0.020 | black | 3 535 090 | 3 535 090 BL |
| 11 | ±0.020 | - | 3 535 110 | 3 535 110 BL |
| 12 | ±0.020 | - | 3 535 120 | 3 535 120 BL |
| 12.5 | ±0.020 | - | 3 535 125 | 3 535 125 BL |
| 13 | ±0.020 | - | 3 535 130 | 3 535 130 BL |
| 14 | ±0.020 | - | 3 535 140 | 3 535 140 BL |
| 15 | ±0.020 | green | 3 535 150 | 3 535 150 BL |
| 16 | ±0.030 | - | 3 535 160 | 3 535 160 BL |
| 17 | ±0.030 | - | 3 535 170 | 3 535 170 BL |
| 18 | ±0.030 | - | 3 535 180 | 3 535 180 BL |
| 19 | ±0.030 | - | 3 535 190 | 3 535 190 BL |
| 21 | ±0.030 | - | 3 535 210 | 3 535 210 BL |
| 30 | ±0.030 | black | 3 535 300 | 3 535 300 BL |
| 32 | ±0.030 | - | 3 535 320 | 3 535 320 BL |
| 35 | ±0.030 | - | 3 535 350 | 3 535 350 BL |
| 38.5 | ±0.050 | - | 3 535 038 | 3 535 038 BL |
| 39.06 | ±0.050 | - | 3 535 039 | 3 535 039 BL |
| 40 | ±0.050 | white | 3 535 400 | 3 535 400 BL |
| 60 | ±0.050 | - | 3 535 600 | 3 535 600 BL |
| 70 | ±0.050 | - | 3 535 700 | 3 535 700 BL |
| 75 | ±0.050 | green | 3 535 750 | 3 535 750 BL |
| 80 | ±0.080 | - | 3 535 800 | 3 535 800 BL |
| 90 | ±0.080 | - | 3 535 901 | 3 535 901 BL |
| 200 | ±0.120 | blue | 3 535 920 | 3 535 920 BL |
| 250 | ±0.120 | - | 3 535 925 | 3 535 925 BL |

further sizes on request